

NAC-2603

40Watt 100Volt Rock Speaker




MAIN FUNCTIONS

(1) Lawn speaker, high-quality waterproof garden stone shaped glass steel shell speaker, coaxial speaker design, full sound quality, suitable for all kinds of landscape residential areas, leisure occasions.

(2) Lawn speakers can be directly connected to 100V line output. The jumper connector of its 100V transformer primary winding can be used for power setting. Users can implement power selection and can be used for different power Settings. Users can easily achieve two power choices.

Circuit Diagram




Wiring:

When wiring, power amplifier output COM needs to be connected with the black line, and power amplifier 100V output needs to be connected with the corresponding line

Such as:

With rated power of 40W, COM is connected to the black line and 100V is connected to the white line.

With 20W rated power, COM is connected to the black line, and 100V is connected to the green line.



SPECIFICATION

POWER PARAMETERS

Rated Parameters:40W

Max Parameters:60W

AUDIO PARAMETERS

Frequency Response:100-16KHz

Sensitivity:98±3dB

MECHANICAL&ENVIRONMENT PROPERTIES

Installation Method:Ground Mount

Installation Environment:Outdoor Locations

Shell Material:Marble-colored fiberglass

Working Temperature:-25°C~+55°C

Working Humidity: < 95%


Weight:6.2Kg

Dimension:335(L)×273(W)×510(H)mm

Warranty:2 Years

APPLICATION

The analog rock speaker NAC-2603 can be connected with constant voltage amplifier for receiving broadcast or announcement from server software or IP paging console .




INSTALLATION


Bottom Size



Dig a hole



Make cement holder



Install

